JENSEN

2011

AMDistributors

Custom Home Theater and Mobile Electronic Specialists



MOBILE ENTERTAINMENT SYSTEMS

Connectivity 2
Multimedia / Navigation Systems 4
Accessories 10
CD / MP3 Head Units 11
Speakers 12
Amplifiers 16
Driver Assistance and Safety 18
Comparison Charts 21

Putting More Rock in Your Roll

It all started in 1915 when a young Peter Jensen and his associate Edwin Pridham invented the loudspeaker, and, as they say, “the rest is history.” Innovation has been a hallmark from the very first days of Peter Jensen, and it remains true to this day. Designed for the mobile audiophile, Jensen has it all, from heart-thumping amplifiers to drive our legendary speaker lines to sophisticated mobile multimedia units that bring the best in interactive connectivity to the vehicle.

With a legacy like this, it’s apparent why Jensen remains unyieldingly devoted to R&D, advanced engineering and emerging technologies. Today, our obsession for achieving unparalleled acoustical integrity persists, as Jensen is committed to transforming our vehicle interiors into personal concert halls and movie theaters – carrying our hearts and minds away on waves of exquisite sound and vibrant visuals.

This year it’s back to basics with our triumphant return to new speaker development. With a host of ingenious engineering breakthroughs in design, acoustical integrity and construction, our new line of Revolution Series speakers surely lives up to its name. They round out Jensen’s commanding arsenal of car-rocking mobile entertainment solutions – industry-leading multimedia systems, big-power amplifiers and, once again, killer new speakers. And to help protect the family from needless backup accidents, a full line of rear observation cameras demonstrates our steadfast commitment to driver and pedestrian safety.

All of this, and so much more, is the value that Jensen brings. Amazing sound. Spectacular images. High-octane entertainment. We live to design and redefine the mobile multimedia experience...one ear, one eye, one soul at a time.

Nobody rocks it like Jensen.

Connectivity...
right out of the box

Having all the hottest technology means nothing if it doesn't connect and communicate. The difference with Jensen technology is that we provide this convenient connectivity right out of the box. There's a world of blended technology out there and Jensen keeps you plugged in and ready to play.

In fact, whenever Jensen introduces new connections, capabilities or compatibilities to emerging or existing media technologies, we also make sure to offer easy connectivity options right in the package – with multiple interfaces for communications flexibility that are all dependable and proven to work. Count on Jensen to keep you connected to the media that drives your personal lifestyle. Today, it's all about mobile video networking. So, here's just a peek at the many connectivity and media technologies Jensen supports.

Our products are literally Made for iPod and iPhone, increasing the value of the technology and enhancing the user experience. With the touch screen convenience of our multimedia head units, customers can enjoy direct display, access and control not only over the music on their iPods, but also of their video content, as well. MediaLink makes connecting external media devices a cinch. The JLink USB allows you to play video from your iPod on all our multimedia systems. The list of possibilities goes on. These and many other cables and interfaces ensure full and dependable connectivity to deliver optimum ease and convenience, including rear camera inputs on head units for use with rear observation systems. Moreover, many of our models come with easy-access, front panel USB and SD ports, front AV-In and AUX-In ports, as well for simple plug-in convenience, allowing you to enjoy your favorite music and movies any way you want.

Jensen also offers out-of-the-box connectivity solutions to help expand the use of favorite media sources. For example, iTunes Tagging on head units and receivers with HD Radio Tuners™ lets you tag for purchase any song you hear on the radio in an instant. Just hit the "tag" button while the song is still playing to store the song's information. When you dock your iPod to the receiver, the tag is automatically transferred and the next time your iPod is connect to the computer, a playlist of these tagged songs appears so that you can purchase and download them easily. If your customers are fans of Satellite Radio, Jensen leads there, too. Units that come XM ready offer quick hook ups and easy operation, giving drivers that secure, built-in feeling, since connectivity is simple and the experience is seamless. Whether Navigation is built-in or "ready" in our units, Jensen keeps drivers connected to the road via connections that makes plugging in a breeze. The same holds true of our Bluetooth hands-free cell phone technology, which keeps your customers' grip on the wheel and their eyes safely on traffic.

Convenience and compatibility. This is the essence of Jensen technology – outstanding performance, intuitive operation and direct connectivity…right out of the box.


MULTIMEDIA RECEIVER
BLUETOOTH
XM RADIO
FRONT SPEAKER
iPod/iPhone
REAR SPEAKER
AMPLIFIER
REAR CAMERA

9400 SERIES

Front SD/ A/V input:
Enjoy not only music but video by plugging your digital media player directly into the front of the unit.

VM9424

2DIN 6.2" widescreen LCD with hi-resolution digital touch panel display

- DVD / CD / MP3 / WMA playback
- Built-in navigation with USA maps including Alaska, Hawaii & Puerto Rico
- Text-to-Speech voice guidance in 3 languages – ENG/FR/SP
- Made for iPod®
- Bluetooth® ready (HFP & A2DP)
- XM Satellite radio ready
- Rear USB with Medialink Interface
- Front panel SD card
- Front panel 3.5mm A/V input
- Rear-view camera ready
- Front / Rear / Subwoofer RCA out
- Audio / Video out
- Multizone (DVD only)
- Steering wheel control interface
- Remote Control

VM9424BT

- Built-in Bluetooth® with External Microphone
- Made for iPhone® and iPod®

VM9414

1DIN 7" widescreen LCD with hi-resolution digital touch panel display

- DVD / CD / MP3 / WMA playback
- Built-in navigation with USA maps including Alaska, Hawaii & Puerto Rico
- Text-to-Speech voice guidance in 3 languages – ENG/FR/SP
- Made for iPod®
- Bluetooth® ready (HFP & A2DP)
- XM Satellite radio ready
- Rear USB with Medialink Interface
- Front panel SD card
- Front panel 3.5mm A/V input
- Rear-view camera ready
- Front / Rear / Subwoofer RCA out
- Audio / Video out
- Multizone (DVD only)
- Steering wheel control interface
- Remote Control

9400 SERIES OPTIONAL ACCESSORIES

- **Bluetooth module (BTM15)**
  Using your BTM15, you can talk on your cell phone while keeping your hands on the wheel. In addition, with A2DP (Advanced Audio Distribution Profile) you can stream your music without wires to your new Jensen multimedia system.
- **Digital media cable (jLinkUSB)**
  Your Jensen multimedia system gives you direct control over not only the music on your iPod or iPhone, but videos as well... and best of all, it is accessed and enjoyed on a large 6.2" or 7" touchscreen.
- **Rear-view cameras (ACA200W or CMOS2)**
  Safety is our primary concern, and offering best-in-class cameras that boast wide-angle views while packaged in weather-resistant metal housings ensures your customers have high-performance products that help eliminate blind spots.

Bluetooth READY
Made for iPod iPhone
XM Ready
USB UNIVERSAL SERIAL BUS
SD CARD READER

9300 SERIES

Front USB / SD/ A/V Input:
Enjoy not only music but video by plugging your digital media player directly into the front of the unit.

Built-in HD Radio® with iTunes Tagging:
Listen to the radio like never before. HD Radio transforms FM quality into CD quality and shows you what you are listening to. With iTunes Tagging HD Radio receivers, listeners simply press a button on their multimedia system to save information to their iPod or iPhone about the songs they hear and like—no pen or paper required.

Voice Control:
Built-in voice control and included microphone provides access to your iPod and iPhone music libraries by simply speaking the song title, artist or genre as well as giving you the ability to change the source of the unit to radio or CD as easy as talking to your passenger

VM9324

2DIN 6.2" widescreen LCD with hi-resolution touch panel display

- DVD / CD / MP3 / WMA playback
- Voice Control with microphone - iPod function and source selection
- Made for iPod®
- Made for iPhone®
- Built-it in HD Radio with iTunes Tagging
- Navigation ready
- Bluetooth® ready (HFP & A2DP)
- XM Satellite radio ready
- Front USB / SD card
- Front panel 3.5mm A/V input
- Rear-view camera ready
- Front / Rear / Subwoofer RCA out
- Audio / Video out
- Steering wheel control interface
- Security code lock-out
- Remote Control

VM9314

1DIN 7" widescreen LCD with hi-resolution touch panel display

- DVD / CD / MP3 / WMA playback
- Voice Control with microphone - iPod function and source selection
- Made for iPod®
- Made for iPhone®
- Built-it in HD Radio® with iTunes Tagging
- Navigation ready
- Bluetooth® ready (HFP & A2DP)
- XM Satellite radio ready
- Front USB / SD card
- Front panel 3.5mm A/V input
- Rear-view camera ready
- Front / Rear / Subwoofer RCA out
- Audio / Video out
- Steering wheel control interface
- Security code lock-out
- Remote control

9300 SERIES OPTIONAL ACCESSORIES

- **Bluetooth module (BTM15)**
  Using your BTM15, you can talk on your cell phone while keeping your hands on the wheel. In addition, with A2DP (Advanced Audio Distribution Profile) you can stream your music without wires to your new Jensen multimedia system.
- **Digital media cable (jLinkUSB)**
  Your Jensen multimedia system gives you direct control over not only the music on your iPod or iPhone, but videos as well... and best of all, it is accessed and enjoyed on a large 6.2" or 7" touchscreen.
- **GPS Navigation module (NAV102) -**
  Search over 11 million POIs (Points-of-Interest), pinpoint your destination and get there, all while having turn-by-turn directions in English, French and Spanish.
- **Rear-view cameras (ACA200W or CMOS2) -**
  Safety is our primary concern, and offering best-in-class cameras that boast wide-angle views while packaged in weather-resistant metal housings ensures your customers have high-performance products that help eliminate blind spots.

HD Radio Pure Digital. Clear Radio. · XM Ready · Bluetooth READY · USB UNIVERSAL SERIAL BUS · Made for iPod iPhone · SD CARD READER

9200BT SERIES

Built-in Bluetooth:
Now you can talk on your cell phone while keeping your hands on the wheel. In addition, with A2DP (Advanced Audio Distribution Profile) you can stream your music without wires to your new Jensen multimedia system.

VM9224BT

2DIN 6.2" widescreen LCD with hi-resolution touch panel display

- DVD / CD / MP3 / WMA playback
- Built-in Bluetooth® (HFP & A2DP) with external microphone and noise cancelling circuitry
- Made for iPod®
- Made for iPhone®
- Navigation ready
- Front and rear USB / front SD card
- Front panel 3.5mm A/V input
- Rear-view camera ready
- Front / Rear / Subwoofer RCA out
- Audio / Video out
- Steering wheel control interface
- JLink USB included

VM9214BT

1DIN 7" widescreen LCD with touch panel display

- DVD / CD / MP3 / WMA playback
- Built-in Bluetooth® (HFP & A2DP) with external microphone and noise cancelling circuitry
- Made for iPod®
- Made for iPhone®
- Navigation ready
- Front and rear USB
- Front panel 3.5mm A/V input
- Rear-view camera ready
- Front / Rear / Subwoofer RCA out
- Audio / Video out
- Steering wheel control interface
- JLink USB included

9200 SERIES OPTIONAL ACCESSORIES

- **GPS Navigation module (NAV102) -**
  Search over 11 million POIs (Points-of-Interest), pinpoint your destination and get there, all while having turn-by-turn directions in English, French and Spanish.
- **Rear-view cameras (ACA200W or CMOS2)**
  Safety is our primary concern, and offering best-in-class cameras that boast wide-angle views while packaged in weather-resistant metal housings ensures your customers have high-performance products that help eliminate blind spots.

Bluetooth™ USB UNIVERSAL SERIAL BUS Made for iPod iPhone SD CARD READER

9200 SERIES

VM9224

2DIN 6.2" digital widescreen LCD with touch panel display

- DVD / CD / MP3 / WMA playback
- Made for iPod®
- Made for iPhone®
- Bluetooth® ready (HFP & A2DP)
- Navigation ready
- Front and rear USB / front SD card
- Front panel 3.5mm A/V input
- Rear-view camera ready
- Front / Rear / Subwoofer RCA out
- Audio / Video out
- Steering wheel control interface

VM9214

1DIN 7" widescreen LCD with touch panel display

- DVD / CD / MP3 / WMA playback
- Made for iPod®
- Made for iPhone®
- Bluetooth® ready (HFP & A2DP)
- Navigation ready
- Front and rear USB
- Front panel 3.5mm A/V input
- Rear-view camera ready
- Front / Rear / Subwoofer RCA out
- Audio / Video out
- Steering wheel control interface

9200 SERIES OPTIONAL ACCESSORIES

- **Bluetooth module (BTM15)**
  Using your BTM15, you can talk on your cell phone while keeping your hands on the wheel. In addition, with A2DP (Advanced Audio Distribution Profile) you can stream your music without wires to your new Jensen multimedia system.
- **GPS Navigation module (NAV102) -**
  Search over 11 million POIs (Points-of-Interest), pinpoint your destination and get there, all while having turn-by-turn directions in English, French and Spanish.
- **Rear-view cameras (ACA200W or CMOS2)**
  Safety is our primary concern, and offering best-in-class cameras that boast wide-angle views while packaged in weather-resistant metal housings ensures your customers have high-performance products that help eliminate blind spots.

Bluetooth READY

USB UNIVERSAL SERIAL BUS

Made for iPod iPhone

SD CARD READER

9100 SERIES

Front USB / A/V Input:
Enjoy not only music but video by plugging your digital media player directly into the front of the unit.

VM9114

1DIN 7" widescreen LCD with touch panel display

- DVD / CD / MP3 / WMA playback
- Front USB input (Audio only)
- Front panel 3.5mm A/V input
- Steering wheel control interface

USB UNIVERSAL SERIAL BUS

UV SERIES

Front USB / A/V Input:
Enjoy not only music but video by plugging your digital media player directly into the front of the unit.

UV10

1DIN 7" widescreen LCD with touch panel display

- DVD / CD / MP3 / WMA playback
- Made for iPod®
- Bluetooth® ready (HFP & A2DP)
- Navigation ready
- Front and rear USB
- Front panel 3.5mm A/V input
- Rear-view camera ready
- Front / Rear / Subwoofer RCA out
- Audio / Video out
- Steering wheel control interface
- Remote Control

UV SERIES OPTIONAL ACCESSORIES

- **Bluetooth module (BTM15)**
  Using your BTM15, you can talk on your cell phone while keeping your hands on the wheel. In addition, with A2DP (Advanced Audio Distribution Profile) you can stream your music without wires to your new Jensen multimedia system.
- **Digital media cable (jLinkUSB) -**
  Your Jensen multimedia system gives you direct control over not only the music on your iPod or iPhone, but videos as well... and best of all, it is accessed and enjoyed on a large 6.2" or 7" touchscreen.
- **GPS Navigation module (NAV102) -**
  Search over 11 million POIs (Points-of-Interest), pinpoint your destination and get there, all while having turn-by-turn directions in English, French and Spanish.
- **Rear-view cameras (ACA200W or CMOS2)**
  Safety is our primary concern, and offering best-in-class cameras that boast wide-angle views while packaged in weather-resistant metal housings ensures your customers have high-performance products that help eliminate blind spots.

Bluetooth READY

Made for iPod

USB UNIVERSAL SERIAL BUS

ACCESSORIES

VM9224 Hardware Not Included

NAV102

Add-on GPS navigation system

- 11 Million POIs (Points-of-interest)
- USA Maps
- Easy to use GUI (graphic user interface)
- Male and female text-to-speech
- Voice guidance in English, French and Spanish
- Path analysis

BTM15

Add-on Bluetooth® hands-free module

- HFP - Hands free profile
- A2DP - Audio steaming from Bluetooth enable digital media players
- Caller ID
- Integrated visor clip for ease of installation
- 3M cable for flexible mounting options
- Compatible with: VM9424, VM9414, VM9324, VM9314, VM9224, VM9214, UV10

CNP2000UCA

Add-on XM radio vehicle tuner kit

- Universal digital adapter
- Easy integration utilizing the vehicle docking station
- Magnetic roof mount antenna
- CNPJEN1 cable for integration with Jensen units sold separately
- Additional manufacturer's cable sold separately



jLINKUSB

iPod / iPhone integration cable

- Compatible with “Made for iPod” and "Works with iPhone” head units.
- Releases video to the multimedia system
- Plugs into front USB and 3.5mm A/V jack
- Supplies 5 volt charging

CD / MP3 UNITS

HD Radio

HD5313IR

1DIN CD / MP3 / WMA player / receiver with detachable full-face LCD display

- CD / CD-R/RW / MP3 / WMA playback
- Built-in HD Radio® with iTunes Tagging
- MOSFET high power (60W x 4 max)
- 3 Band EQ
- ESP (Electronic Skip Protection)
- Rotary encoder control
- Made for iPod®
- Front USB / SD card
- Front panel 3.5mm Aux input
- Front / Rear / Subwoofer RCA out
- Remote Control

SD1513

1DIN CD / MP3 / WMA player / receiver with detachable face plate

- CD / CD-R/RW / MP3 / WMA playback
- 3 Band EQ
- ESP (Electronic Skip Protection)
- Rotary encoder control
- Made for iPod®
- Front USB / SD card
- Front panel 3.5mm Aux input
- Front / Rear RCA out
- jLink cable
- Remote Control

SD1413

1DIN CD / MP3 / WMA player / receiver with detachable face plate

- CD / CD-R/RW / MP3 / WMA playback
- 3 Band EQ
- ESP (Electronic Skip Protection)
- Rotary encoder control
- Front USB / SD card
- Front panel 3.5mm Aux input
- Rear RCA out
- Remote Control

Lend an Ear to the Revolution!

Have you heard the news? Jensen is back with a new speaker design, and we're starting a Revolution, literally. And Jensen's new Revolution Series speakers mark our historic return. They begin with an exquisite European look that will surely seduce the eye... but be clear, it's your ear we're after. Rubber surrounds combine stable, consistent linearity and maximum excursion with dependable performance over time and use – the best of both speaker worlds. You'll find low-distortion polypropylene woofers with optimized suspensions. That, brings your favorite music to life with sound that is deep, rich and crystal clear. And additional voice-coil ventilation dissipates heat more efficiently, so the speakers don't overheat. Are YOU ready for the Revolution? Jensen speakers. They're back with a vengeance!

REVOLUTION SERIES

JRX235

3.5" 2-way coaxial speaker

- 140W peak power handling
- 35W continuous power handling
- 3.5” low-distortion polypropylene woofer
- 1” polycarbonate tweeter
- Nitrile rubber surround for maximum excursion and linearity
- Frequency response (80Hz - 26kHz)

JRX240

4" 2-way coaxial speaker

- 180W peak power handling
- 45W continuous power handling
- 4” low-distortion polypropylene woofer
- 1” polycarbonate tweeter
- Nitrile rubber surround for maximum excursion and linearity
- Vented spider for better heat dissipation and mechanical damping
- Frequency response (60Hz - 26kHz)
- Grilles included

JRX246

4" x 6" 2-way coaxial speaker

- 200W peak power handling
- 50W continuous power handling
- 4” x 6” low-distortion polypropylene woofer
- 1” polycarbonate tweeter
- Nitrile rubber surround for maximum excursion and linearity
- Frequency response (55Hz - 26kHz)

JRX252

5.25" 2-way coaxial speakerr

- 240W peak power handling
- 60W continuous power handling
- 5.25” low-distortion polypropylene woofer
- 1” polycarbonate tweeter
- Nitrile rubber surround for maximum excursion and linearity
- Vented spider for better heat dissipation and mechanical damping
- Frequency response (42Hz - 26kHz)
- Grilles included

REVOLUTION SERIES

JRX357

5" x 7" / 6" x 8" 3-way triaxial speaker

- 280W peak power handling
- 70W continuous power handling
- 5" x 7" low-distortion polypropylene woofer
- 1" polycarbonate tweeter
- 0.75" polycarbonate super tweeter
- Nitrile rubber surround for maximum excursion and linearity
- Vented spider for better heat dissipation and mechanical damping
- Frequency response (36Hz - 30kHz)

JRX365

6.5" 3-way triaxial speaker

- 280W peak power handling
- 70W continuous power handling
- 6.5" low-distortion polypropylene woofer
- 1" polycarbonate tweeter
- 0.75" polycarbonate super tweeter
- Nitrile rubber surround for maximum excursion and linearity
- Vented spider for better heat dissipation and mechanical damping
- Frequency response (36Hz - 30kHz)
- Grilles included

JRX369

6" x 9" 3-way triaxial speaker

- 400W peak power handling
- 100W continuous power handling
- 6" x 9" low-distortion polypropylene woofer
- 2" polycarbonate midrange
- 1" polycarbonate tweeter
- Nitrile rubber surround for maximum excursion and linearity
- Vented spider for better heat dissipation and mechanical damping
- Frequency response (32Hz - 30kHz)
- Grilles included

JRX650

6.5" 2-way component speaker

- 320W peak power handling
- 80W continuous power handling
- 6.5" low-distortion polypropylene woofer
- 1" polycarbonate tweeter
- Nitrile rubber surround for maximum excursion and linearity
- Vented pole piece and spider for better heat dissipation and mechanical damping
- Frequency response (34Hz - 30kHz)
- External crossover (3,800Hz)
- European steel basket dimensions
- Grilles included

JS SERIES

JS652

6.5" 2-way coaxial speaker

- 75W peak power handling
- 25W continuous power handling
- 6.5” paper cone woofer with 4.7oz. magnet
- 1.25” tweeter with ferrite magnet
- Foam surround
- Frequency response (78Hz - 20kHz)
- Internal crossover (6dB HP)
- Grilles, mounting hardware and speaker wire included



JS692

6" x 9" 3-way triaxial speaker

- 105W peak power handling
- 35W continuous power handling
- 6” x 9” paper cone woofer with 10oz. magnet
- 1” tweeter with ferrite magnet
- Foam surround
- Frequency response (50Hz - 20kHz)
- Internal crossover (6dB HP)
- Grilles, mounting hardware and speaker wire included

POWER SERIES

Power5500

5-channel amplifier

- MOSFET Power Supply
- High current bi-polar output transistors
- 4 x 90W and 1 x 300W @ 2 ohms
- 4 x 70W and 1 x 200W @ 4 ohms
- 2 x 180W @ 4 ohms bridged
- High-Pass Filter (16Hz - 160Hz @ 12dB/octave)
- Low -Pass Filter (30Hz - 160Hz @ 12dB/octave)
- Variable bass EQ (0 - 12dB @ 45Hz)
- Infra-sonic filter (16Hz - 60Hz)
- Encapsulated power and speaker connectors
- 70x1 MAXI fusing
- LED status indicator
- Thermal overload protection
- Remote input level control (5M cable)

POWER SERIES

Power900.1

Mono amplifier

- MOSFET Power Supply
- 1 x 450W @ 2 ohms
- 1 x 300W @ 4 ohms
- Low-Pass Filter (40Hz - 300Hz @ 12dB/octave)
- Subsonic Filter (10Hz - 40Hz @ 12dB/octave)
- Variable bass EQ (0 - 12dB @ 45Hz)
- Pass-thru RCAs
- Encapsulated power and speaker connectors
- 30x2 ATO fusing
- LED status indicator
- Thermal overload protection
- Remote input level control (5M cable)

Power760.4

4-channel amplifier

- MOSFET Power Supply
- 4 x 100W @ 2 ohms
- 4 x 75W @ 4 ohms
- 2 x 190W @ 4 ohms bridged
- High -Pass Filter (40Hz - 300Hz @ 12dB/octave)
- Low-Pass Filter (40Hz - 300Hz @ 12dB/octave)
- Variable bass EQ (0 - 12dB @ 45Hz)
- Full range operation
- Pass-thru RCAs
- Channel selector switch (4/3/2)
- 20x2 ATO fusing
- LED status indicator
- Thermal overload protection

Power400.2

2-channel amplifier

- MOSFET Power Supply
- 2 x 100W @ 2 ohms
- 2 x 75W @ 4 ohms
- 1 x 200W @ 4 ohms bridged
- High-Pass Filter (40Hz - 300Hz @ 12dB/octave)
- Low-Pass Filter (40Hz - 300Hz @ 12dB/octave)
- Variable bass EQ (0 - 12dB @ 45Hz)
- Full range operation
- Pass-thru RCAs
- 25x1 ATO fusing
- LED status indicator
- Thermal overload protection

BACK-UP SENSORS

PSB100

4 sensor system

(Rear mounted application only)

- Basic four sensors detect obstacles over 4.5 feet away from the bumper
- Rear mounted application only
- Iincludes 8° angle sensor sleeves to fit most bumpers
- Sensors can be flush installed without the sleeves for a more OEM look in plastic bumpers
- Adjustable buzzer volume and single color red led warning module helps with object range notification
- Three detection zones gives the following warnings:

  - 1 = slow beep within 4.5 – 2.5 feet, slow flashing led indicator

  - 2 = medium beep within 2.4 – 1.3 feet, medium flashing led indicator

  - 3 = steady tone within 1.3 feet, rapid flashing led indicator ranges are approximate and will vary depending on installation, weather conditions, and object size and shape.

Installation accessories

SPC3

13/16" hole saw

- For installing PS Series Sensors without the supporter ring

SPC4

26mm* hole saw

- For installing PS Series Sensors with the supporter ring
- Audiovox recommends that 4 sensors be used on all vehicle rear mounted applications to ensure complete coverage.

  *26mm for sensors when installed in metal bumpers – Always use the sensor sleeve for any metal bumper.

KIDS AND CARS
LOVE THEM, PROTECT THEM
www.kidsandcars.org
Audiovox Supports the Work of KIDS AND CARS

REAR OBSERVATION

Included components

ACA240

Wireless vehicle rear observation system

- Complete wireless vehicle rear observation system
- Includes: camera, monitor, and all required items to install.
- 2.4 GHz wireless transmitter eliminates the need to run wires through the vehicle.
- Automatically turns on when the vehicle is put into reverse.
- 110° wide angle camera for better viewing
- New smaller camera bracket won't hide registration stickers
- Monitor mounts on dash or windshield

Included components

ACAM350

3.5" LCD TFT rear observation monitor

- 3.5" color LCD TFT rear observation monitor
- Compatible with most video back-up cameras
- Single RCA video input
- Flexible mounting base comes complete with 3M brand automotive grade mounting tape to mount the monitor securely on either the vehicle windshield or dashboard
- Power is supplied by the back-up lights at the same location as the camera reducing installation time
- Monitor turns on automatically when the vehicle is in reverse and the camera is activated
- A 19' long wire harness is included to fit most vehicles

CAMERAS

Included components

ACA200W

License plate / surface mounted wired back-up camera

- License plate / surface mount wired back-up camera
- New design camera mounts behind the license plate – does not obstruct the license plate – patent pending
- Now includes a surface mounting bracket for more installation options
- Compatible with any monitor with a standard RCA video input
- Selectable normal or mirror image view for multiple mounting options (front or rear)
- Weather resistant camera housing – IP66 tested & certified
- CMOS camera element with a 130° wide angle view
- Adjustable vertical camera angle helps with different height vehicles
- Camera power supplied by back-up lights for easy installation
- 25' extension RCA video cable included

Included components

CMOS2

5-in-1 multi mount rear observation camera

- 5-in-1 multi-mount camera: surface mount, traditional drilled mount, snap-in mount, short butterfly mount, long butterfly mount.
- Removable front trim ring can be painted to match
- Compatible with any monitor with a standard RCA video input
- Selectable normal or mirror image view
- Weather resistant camera housing – IP66 tested & certifie
- CMOS camera element with a 170° wide angle view
- Camera power supplied by back-up lights for easy installation
- Resolution 510 x 492

Included components

LCDM40

Replacement rear view mirror with embedded 4" LCD monitor

- OEM Style replacement rear view mirror fits Ford, GM, Chrysler/Jeep mounts and includes adapters for Toyota and Honda Vehicles
- 4" High resolution LCD 4:3 ratio screen
- 2nd Camera input or dual input for reverse camera continuous monitoring
- Contrast, brightness, volume, and mirror/normal monitor mounted controls
- Selectable alignment overlay lines
- Brightness auto-adjusting monitor based on the vehicle interior light level
- Recommended camera: CAM330, CAM300B & CAM310B
- The LCDM40 monitor is compatible with any Audiovox hardwired camera and/or any observation camera with an RCA video jack

MULTIMEDIA CHART

FEATURES	UV10	VM9114	VM9214	VM9224	VM9214BT	VM9224BT	VM9314	VM9324	VM9414	VM9424	VM9424BT
Built-in Navigation	No	No	No	No	No	No	No	No	Yes	Yes	Yes
Built-in Bluetooth	No	No	No	No	Yes	Yes	No	No	No	No	Yes
RDS	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
US/European Frequency Spacing	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
AUDIO/VIDEO											
Audio/Video Input	Yes-1	Yes - 1	Yes - 1	Yes - 1	Yes - 1	Yes - 1	Yes - 2	Yes - 1	Yes - 2	Yes - 2	Yes - 2
Xvid	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes	No	No	No
DVD Video	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
MPEG-1/MPEG-2	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Motorized Flip-Out Screen	Yes	Yes	Yes	No	Yes	No	Yes	No	Yes	No	No
RMS Watts per Channel (CEA)	13	13	13	13	13	13	13	13	13	13	13
Peak Watts Total	160 (40wx4)	160 (40wx4)	160 (40wx4)	160 (40wx4)	160 (40wx4)	160 (40wx4)	160 (40wx4)	160 (40wx4)	160 (40wx4)	160 (40wx4)	160 (40wx4)
Equalizer	3 Band	3 Band	3 Band	3 Band	3 Band	3 Band	3 Band	3 Band	3 Band	3 Band	3 Band
TFT Screen Size	7”	7”	7”	6.2”	7”	6.2”	7”	6.2”	7”	6.2”	6.2”
TFT Type	Analog	Analog	Analog	Digital	Analog	Digital	Digital	Digital	Digital	Digital	Digital
Touch Screen	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Video Outputs	1	0	1	1	1	1	2	2	2	2	2

CD/MP3 CHART

FEATURES	HD5313IR	SD1413	SD1513
Flip-Down Front Panel	Yes	No	No
Slot Load	No	Yes	Yes
Display Type	Negative LCD	Negative LCD	Negative LCD
LCD Backlight	White	White	White
Made for iPod-Direct Connect	Yes	No	Yes
jLinkCable - Included	No	No	Yes
Media Cable - Included	Yes	Yes	Yes
RMS Watts per Channel (CEA)	18	13	13
Peak Watts Total	240	160	160
MOSFET Power Amp	Yes	No	No
SD Card (up to 4GB)	Yes	Yes	Yes
USB - Flash Memory Support	Yes	Yes	Yes
RDS	Yes	No	No
US/European Frequency Spacing	Yes	Yes	Yes

SPEAKER CHART

SPECIFICATIONS	JRX235	JRX240	JRX246	JRX252	JRX357	JRX365	JRX369	JRX650	JS652	JS692
Type	2-Way Coaxial	2-Way Coaxial	2-Way Coaxial	2-Way Coaxial	3-Way Triaxial	3-Way Triaxial	3-Way Triaxial	2-Way Component	2-Way Coaxial	2-Way Coaxial
Diameter	3.5”	4”	4”x6”	5.25”	5”x7”/6”x8”	6.5”	6”x9”	6.5”	6.5”	6”x9”
Peak Power	140W	180W	200W	240W	280W	280W	400W	320W	75W	105W
RMS Power	35W	45W	50W	60W	70W	70W	100W	80W	25W	35W
Woofer Cone/ Surround	Polypropylene/ Nitrile Rubber	Polypropylene/ Nitrile Rubber	Polypropylene/ Nitrile Rubber	Polypropylene/ Nitrile Rubber	Polypropylene/ Nitrile Rubber	Polypropylene/ Nitrile Rubber	Polypropylene/ Nitrile Rubber	Polypropylene/ Nitrile Rubber	Paper/Foam	Paper/Foam
Midrange							50mm PEI Cone			
Tweeter	25mm Dome	25mm Dome	25mm Dome	25mm Dome	25mm Dome	25mm Dome	25mm Dome	25mm Dome	25mm Cone	25mm Cone
Supertweeter					19mm Dome	19mm Dome				
Crossover Frequency	4200 Hz	4200 Hz	3800 Hz	3800 Hz	3800/5000 Hz	3800/5000 Hz	2200/3800 Hz	3800 Hz	4000 Hz	4000 Hz
Frequency Response	80Hz-26kHz	60Hz-26kHz	55Hz-26kHz	42Hz-26kHz	36Hz-30kHz	36Hz-30kHz	32Hz-30kHz	34Hz-30kHz	78Hz-20kHz	50Hz-20kHz
Sensitivity	88dB	89dB	89dB	90dB	90dB	90dB	91dB	90dB	89dB	91dB
Nominal Impedance	4 Ohms	4 Ohms	4 Ohms	4 Ohms	4 Ohms	4 Ohms	4 Ohms	4 Ohms	4 Ohms	4 Ohms
Mounting Depth	38mm (1.5”)	48mm (1.9”)	54mm (2.125”)	57mm (2.25”)	57mm (2.25”)	57mm (2.25”)	84mm (3.3”)	60mm (2.35”)	43mm (1.7”)	72mm (2.84”)
Mounting Cutout	79mm (3.1”)	94mm (3.7”)	98x150mm (3.87”x 5.90”)	113mm (4.45”)	128x179mm (5.05”x 7.05”)	143mm (5.65”)	148x220mm (5.8”x 8.68”)	143mm (5.65”)	124mm (4.88”)	148x227mm (5.8”x 8.95”)
Basket	Stamped Steel	Stamped Steel	Stamped Steel	Stamped Steel	Stamped Steel	Stamped Steel	Stamped Steel	Stamped Steel	Stamped Steel	Stamped Steel
Grilles Included	No	Yes	No	Yes	No	Yes	Yes	Yes	Yes	Yes

AMPLIFIER CHART

SPECIFICATIONS	Power 400.2	Power 760.4	Power 900.1	Power 5500
Number of Channels	2	4	1	5
Rated RMS Power Per Channel 4-Ohm @ 2% THD	75 x 2	75 x 4	300 x 1	70 x 4
Rated RMS Power Per Channel 2-Ohm @ 2% THD	100 x 2	100 x 4	450 x 1	90 x 4
Rated RMS Power, Bridged 4-Ohm @ 2% THD	200 x 1	N/A	N/A	N/A
Rated RMS Power, Bridged Stereo 4-Ohm @ 2% THD	N/A	190 x 2	N/A	180 x 2
Rated RMS Power, Subwoofer 4-Ohm @ 2% THD	N/A	N/A	N/A	200 x 1
Rated RMS Power, Subwoofer 2-Ohm @ 2% THD	N/A	N/A	N/A	300 x 1
Total RMS Power @ 4-Ohm	150 watts	300 watts	300 watts	480 watts
Total RMS Power @ 2-Ohm	200 watts	380 watts	450 watts	660 watts
Total Peak Power	400 watts	750 watts	900 watts	1320 watts
Bridgeable	Yes	Yes	N/A	Yes - F&R Channels
Bass EQ	Yes	Yes	Yes	Yes
Subsonic Filter	No	No	10-40Hz	16-60Hz
Low Pass Crossover	40-300Hz	40-300Hz	40-300Hz	30-160Hz
High Pass Crossover	40-300Hz	40-300Hz	No	16-160Hz
Tone controls - Bass/Treble	No	No	No	No
High Level Input - Speaker	No	No	No	No
Low Level Input - RCA	Yes	Yes	Yes	Yes
Pass-Thru RCA	Yes	Yes	Yes	Yes
Frequency Response - Full Range	5-60 kHz (-3dB)	5-60 kHz (-3dB)	N/A	5-60kHz (-3dB)
Frequency Response - Subwoofer	N/A	N/A	5-300Hz (-3dB)	16-160Hz (-3dB)
Input Impedance	20k ohm	20k ohm	20k ohm	20k ohm
Input Sensitivity	400 mV - 5V	400 mV - 5V	400 mV - 5V	400 mV - 5V
Signal to Noise at Rated Power	>100dB	>100dB	>100dB	>100dB
Speaker impedance	2-4 ohm	2-4 ohm	2-4 ohm	2-4 ohm
THD+N, @ 1 watt - Full Range	0.06%, (1kHz), 4-ohms, 14.4VDC	0.06%, (1kHz), 4-ohms, 14.4VDC	N/A	0.06%, (1kHz), 4 ohms, 14.4VDC
THD+N, @ 1 watt - Subwoofer	N/A	N/A	0.06% (150Hz)	0.06%, (150 Hz)
Channel Separation @ 1kHz	>60dB	>60dB	N/A	>60dB
Input Selector Switch - 2ch/3ch/4ch	No	Yes	No	Yes
Speaker Connector Type	Encapsulated	Encapsulated	Encapsulated	Encapsulated
Power Connector Type	Encapsulated	Encapsulated	Encapsulated	Encapsulated
Input Level Control - Variable	Yes	Yes	Yes	Yes
Protection Circuit - DC, Thermal & Overload	Yes	Yes	Yes	Yes
Turn On Delay	Yes	Yes	Yes	Yes
Remote Input Level Control	No	No	Yes	Yes
Dimensions (LxHxW)	9.5" x 2.5" x 9.0"	12.5" x 2.5" x 9.0"	15.75" x 2.5" x 9.0"	22.0" x 2.5" x 9.0"
Weight	4.4 lbs	6.0 lbs	7.6 lbs	10.8 lbs.
Heat Sink Type	Extruded	Extruded	Extruded	Extruded
Amplifier Class	Optimized Class B	Optimized Class B	Optimized Class B	Optimized Class B
Fuse/Type	25 x 1 ATO	10 x 2 ATO	30 x 2 ATO	70 x 1 MAX1

SET UP CHART

Multimedia	Product Description	UPC #	M/C Qty	M/C Dimensions (D x W x H)	M/C Weight (lbs)	Gift Box Dimensions (H x D x W)	Gift Box Weight(lbs.)	Package Type	Warranty	Country of Origin
UV10	Flip out MultiMedia Receiver w/7" Touch Screen	043258304469	2	14.3x9.5x11	15.7	10x13.5x4.4	7.7	Color Gift Box	1 Yr	China
VM9114	1DIN 7" Widescreen LCD w/Touch Panel Display	043258304728	2	23x12.5x8.25	17.16	6x10.5x10.5	7.7	4 Color Gift Box	1 Yr	China
VM9214	Flip out Multimedia Receiver with 7" Touch Screen	043258304575	2	15.4x10.8x12	15.6	10.25x13.5x4.4	7.8	Color Gift Box	1 Yr	China
VM9224	Double Din Multimedia Receiver with 6.2" Touch Screen	043258304612	2	23.1x12.8x9.5	20.7	8.4x11.8x11.8	10.35	Color Gift Box	1 Yr	China
VM9214BT	1DIN 7" Widescreen LCD w/Touch Panel Display & Built-in Bluetooth	043258304742	2	23x12.5x8.25	17.18	6x10.5x10.5	7.7	4 Color Gift Box	1 Yr	China
VM9224BT	Double Din 6.2" Digital Widescreen LCD w/Touch Panel Display & Built-in Bluetooth	043258304735	2	23.1x12.8x9.5	20.7	8.4x11.8x11.8	10.35	4 Color Gift Box	1 Yr	China
VM9314	Flip out Multimedia Receiver with 7" Touch Screen & HD Radio Tuner + iTunes Tagging	043258304605	2	19x10.09x11.9	22.1	10x17.5x4.4	11.05	Color Gift Box	1Yr	China
VM9324	Double Din Multimedia Receiver with 6.2" Touch Screen & HD Radio Tuner + iTunes Tagging	043258304582	2	20.8x1.8x11.4	28.2	9.9x19.4x9.9	14.1	Color Gift Box	1 Yr	China
VM9414	Flip Out Multimedia Receiver with 7" Touch Screen	043258304636	2		22	9.9x11x7.1	11	Color Gift Box	1 Yr	China
VM9424	Double Din Multimedia Receiver with 6.2" Touch Screen	043258304643	2		28	9.25x10x10	14	Color Gift Box	1 Yr	China
VM9424BT	Double Din Multimedia Receiver with 6.2" Touch Screen & Built-in Bluetooth	043258304841	2		28	9.25x10x10	14	Color Gift Box	1 Yr	China
NAV102	GPS Navigation System	043258304346	3	15.4x9.3x11.3	9.1	9.4x13.7x2.5	3.03	Color Gift Box	1 Yr	China
BTM15	Add on Bluetooth Hands-Free Module	043258304667	50	17x13.5x12.5	27.76	4x8.5x2.5	.52	4 Color Gift Box	1 Yr	China
CNP2000UCA	Add on XM Radio Vehicle Tuner Kit	044476071324	12	13x10x12.5	12.48	1x8x6	.9	Clamshell	1 Yr	China
jLINKUSB	USB iPod Approved Connection Cable (5VLT with video out)	043258304551	120	20x11.2x14	23.4	9.5x.01x3	.23	Hanging Header Card in Poly Bag	1 Yr	China
Headunits										
HD5313IR	HD Ready Radio AM/FM/CD Receiver	043258304650	3	12x9.5x11.9	16	11x11x4	5.33	Color Gift Box	1 Yr	China
SD1413	AM/FM/CD/MP3/WMA/USB/SD Card Receiver	043258304513	3	11.8x9.4x11.8	16.5	8.9x3.7x11	4.1	Color Gift Box	1 Yr	China
SD1513	AM/FM/CD/MP3/WMA/USB/SD card and Made for iPod Receiver	043258304520	3	11.8x9.4x11.8	16.5	8.9x3.7x11	4.1	Color Gift Box	1 Yr	China
Amplifiers										
Power 400.2	2 Ch. Amp	043258304865	3	12.3x12.7x13.2	18.7	4.1x11.6x12.2	6.23	Color Gift Box	1 Yr	China
Power 760.4	4 Ch. Amp	043258304872	3	12.3x15.7x14.2	25.1	4.2x11.5x15.2	8.34	Color Gift Box	1 Yr	China
Power 900.1	Mono Amp	043258304889	2	12.2x19.10	24.1	4.2x11.5x18.5	6.2	Color Gift Box	1 Yr	China
Power 5500	5 Channel Amp	043258304599	2	26x7x10	25	25.8x9.9x3.1	12	Color Gift Box	1 Yr	China
Speakers										
JS652	6.5" Co-axial Speakers	043258302441	6	16.25x21x8	18.55	8x6.75x7.75	3.09	Color Gift Box	1 Yr	China
JS692	6x9" Co-axial Speakers	043258302519	3	12x24x12	19.5	8x11x11	6	Color Gift Box	1 Yr	China
JRX235	3.5" Co-axial Speakers	043258304766	6	15x15.5x7	15.5	6.3x4.8x5.6	2.3	4 Color Gift Box	1 Yr	China
JRX240	4" Co-axial Speakers	043258304773	6	17.5x12.2x7	22	5.7x5.6x6	3.1	4 Color Gift Box	1 Yr	China
JRX246	4x6" Co-axial Speakers	043258304834	6	16.5x11.6x7.2	21	6.7x5.4x5.3	3.1	4 Color Gift Box	1 Yr	China
JRX252	5.25" Co-axial Speakers	043258304780	6	21x14.7x7.7	28.6	6.8x6.8x6.8	4.4	4 Color Gift Box	1 Yr	China
JRX357	5x7"/6x8" Triaxial Speakers	043258304797	6	20x14.7x10.4	33	9.9x6.5x6.7	4.8	4 Color Gift Box	1 Yr	China
JRX365	6.5" Tri-axial Speakers	043258304810	6	21x15.5x8.5	33	7.5x6.7x7.6	5.2	4 Color Gift Box	1 Yr	China
JRX650	6.5" Co-axial Component Speakers	043258304803	6	23.4x15.7x9.5	35.2	8.7x7.5x7.5	5.5	4 Color Gift Box	1 Yr	China
JRX369	6x9c Tri-axial Speakers	043258304821	4	20.7x15.6x11.3	33	10.3x10x7.5	7.7	4 Color Gift Box	1 Yr	China